IN THE CLAIMS:

Please cancel Claims 27, 28, 31 and 32 without prejudice or disclaimer of subject matter, and amend the claims as shown below. The claims, as currently pending in the application, read as follows.

1. (Currently Amended) A method of printing over a network, comprising the steps of:

uploading, via the network, to a printing service provider, print data information and location information corresponding to a location from which the uploading is performed;

determining, from the uploaded location information, user identification information of a user corresponding to based on the uploaded location information;

correlating, at the printing service provider, the determined <u>user</u> identification information <u>of the user corresponding to the uploaded location information</u> with the uploaded print data information;

inputting the <u>user</u> identification information at a printing device connected to the network;

transmitting the print data information having the correlated <u>user</u>
identification information from the printing service provider to the printing device; and printing the print data information on the printing device.

2. (Original) A method according to Claim 1, wherein the location information comprises a network address from which the uploading step is initiated.

- 3. (Original) A method according to Claim 2, wherein the network address is dynamically determined when a user connects a computing device, from which the uploading step is to be performed, to the network.
- 4. (Previously Presented) A method according to Claim 3, wherein the network address is dynamically determined by a hotel server when the user connects the computing device to a network connection in a hotel.
- 5. (Currently Amended) A method according to Claim 1, further comprising the steps of:

after the uploading step, the printing service provider querying a server corresponding to the location information for the <u>user</u> identification information corresponding to the location information;

the server corresponding to the location information performing the determining step in response to receiving the query from the printing service provider; and the server corresponding to the location information transmitting the determined user identification information to the printing service provider.

6. (Currently Amended) A method according to Claim 5, wherein the location information comprises hotel information, the server corresponding to the location information comprises a hotel server, and the <u>user</u> identification information comprises room key information.

- 7. (Currently Amended) A method according to Claim 1, wherein the location information comprises hotel information and the <u>user</u> identification information comprises hotel room key information.
- 8. (Original) A method according to Claim 1, wherein the identification information is credit card information.
- 9. (Currently Amended) A server apparatus that performs computer executable process steps for printing over a network, comprising:

a processor for executing computer executable process steps; and
a memory medium storing the computer executable process steps, the
computer executable process steps comprising (a) detecting connection of a client
computer to a local area network connected to the server apparatus, (b) assigning a network
address to the detected client computer, (c) receiving a query from another server apparatus
connected to the network for <u>user</u> identification information corresponding to the assigned
network address, (d) determining the <u>user</u> identification information corresponding to the
assigned network address received in the query, and (e) responding to the query from the
another server apparatus with the determined <u>user</u> identification information.

10. (Currently Amended) A server apparatus according to Claim 9, wherein the <u>user</u> identification information is room key information.

- 11. (Currently Amended) A server apparatus according to Claim 9, wherein the user identification information is credit card information.
- 12. (Currently Amended) A server apparatus according to Claim 9, further comprising, after the assigning step and prior to the receiving step, adding the assigned network address to an upload operation in which print data information and the assigned network address are uploaded to the another server apparatus.
- 13. (Currently Amended) A server apparatus according to Claim 12, wherein the another server apparatus comprises a printing service server that receives the print data information and the assigned network address in the upload operation, and queries the server apparatus for the <u>user</u> identification information.
- 14. (Currently Amended) A server apparatus that performs computer executable process steps for printing over a network, comprising:

a processor for executing computer executable process steps; and
a memory medium storing the computer executable process steps, the
computer executable process steps comprising (a) receiving, via the network, uploaded
print data information and location information corresponding to a location from which the
uploading is performed, (b) querying another server apparatus corresponding to the
uploaded location information for user identification information of a user corresponding
to the uploaded location information, (c) receiving the user identification information from
the another server apparatus in response to the query, (d) storing the received

<u>user</u> identification information <u>of the user corresponding to the uploaded location</u> information in correspondence with the uploaded print data information, (e) receiving the <u>user</u> identification information from a printing device, and (f) in response to the received <u>user</u> identification information <u>from the printing device</u>, transmitting to the printing device the print data information stored in correspondence to the <u>user</u> identification information.

- 15. (Currently Amended) A server apparatus according to Claim 14, wherein the location information is a network address assigned to a client computer by the another server, and the client computer performing performs an uploading operation in which uploaded to upload the print data information and the assigned network address which location information are received by the server apparatus.
- 16. (Currently Amended) A server apparatus according to Claim 15, wherein the <u>user</u> identification information comprises room key information.
- 17. (Currently Amended) A server apparatus according to Claim 15, wherein the <u>user</u> identification information is credit card information.
- 18. (Currently Amended) A method of printing over a network, comprising the steps of:

uploading, via the network, to a printing service provider, print data information, location information corresponding to a location from which the uploading is

<u>being performed</u>, and user identification information <u>corresponding to the location</u> <u>information</u>;

determining key information based on the uploaded user identification information;

correlating, at the printing service provider, the determined key information with the uploaded print data information;

inputting the key information at a printing device connected to the network; transmitting the print data information having the correlated key information from the printing service provider to the printing device; and printing the print data information on the printing device.

- 19. (Original) A method according to Claim 18, wherein the location information identifies a hotel and the user identification information identifies a hotel guest.
- 20. (Original) A method according to Clam 19, wherein the user identification information is issued to the hotel guest by the hotel.
- 21. (Original) A method according to Claim 18, wherein the key information is hotel room key information.
- 22. (Original) A method according to Claim 18, wherein the user identification information is credit card information.

23. (Currently Amended) A method according to Claim 18 further comprising the steps of:

after the uploading step, the printing service provider determining a server corresponding to the uploaded location information;

the printing service provider querying the determined server corresponding to the <u>uploaded</u> location information for the key information based on the uploaded user identification information;

the determined server performing the determining step to determine the key information based on the uploaded user identification information; and

the determined server transmitting the determined key information to the printing service provider.

24. (Currently Amended) A method of printing over a network, comprising the steps of:

uploading, via the network, to a printing service provider, print data information and associated user identification information;

inputting the user identification information at a printing device connected to the network;

determining whether a user corresponding to the user identification information input at the printing device in the inputting step is [[a]] registered as a user who is authorized to print at the printing device;

in a case where the determining step determines that the user is not a registered user who is authorized to print at the printing device, informing the user that they are not authorized to print at the printing device;

in a case where the determining step determines a positive result that the user is registered as a user who is authorized to print at the printing device, transmitting the print data information having associated user identification information corresponding to the input user identification information to the printing device; and

printing the <u>transmitted</u> print data information on the printing device.

25. (Previously Presented) A method according to Claim 24 further comprising the steps of:

after the inputting step, the printing device transmitting the input user identification information and printing device identification information identifying the printing device in which the inputting step is performed to the printing service provider;

the printing service provider determining a server corresponding to the printing device identification information; and

the printing service provider querying the determined server whether a user corresponding to the input user identification information is registered with the server, the server performing the determining step in response to the query, and the server responding to the query with the result of the determining step.

26. (Original) A method according to Claim 24, wherein the user identification information is credit card information.

27. and 28. (Canceled)

29. (Currently Amended) A computer-readable <u>storage</u> medium that stores on which is stored computer executable <u>process steps</u> <u>code</u> for printing over a network, the computer executable <u>process steps</u> <u>code</u> comprising the steps of:

uploading, via the network, to a printing service provider, print data information and location information corresponding to a location from which the uploading is performed;

determining, from the uploaded location information, user identification information of a user corresponding to based on the uploaded location information;

correlating, at the printing service provider, the determined <u>user</u> identification information <u>of the user corresponding to the uploaded location information</u> with the uploaded print data information;

inputting the <u>user</u> identification information at a printing device connected to the network;

transmitting the print data information having the correlated <u>user</u>
identification information from the printing service provider to the printing device; and printing the print data information on the printing device.

30. (Currently Amended) A computer-readable medium according to Claim 29, wherein the computer executable process steps code further comprises the steps of:

after the uploading step, the printing service provider querying a server corresponding to the location information for the <u>user</u> identification information <u>corresponding to the location information</u>;

the server corresponding to the location information performing the determining step in response to receiving the query from the printing service provider; and the server corresponding to the location information transmitting the determined identification information to the printing service provider.

31. and 32. (Canceled)

33. (Currently Amended) A computer-readable <u>storage</u> medium <u>on</u> which <u>is stored</u> stores computer executable <u>process steps</u> <u>code</u> for printing over a network, the computer executable <u>process steps</u> <u>code</u> comprising the steps of:

uploading, via the network, to a printing service provider, print data information and associated user identification information;

inputting the user identification information at a printing device connected to the network;

determining whether a user corresponding to the user identification information input at the printing device in the inputting step is [[a]] registered as a user who is authorized to print at the printing device;

in a case where the determining step determines that the user is not a registered user who is authorized to print at the printing device, informing the user that they are not authorized to print at the printing device;

in a case where the determining step determines a positive result that the user is registered as a user who is authorized to print at the printing device, transmitting the print data information having associated user identification information corresponding to the input user identification information to the printing device; and

printing the <u>transmitted</u> print data information on the printing device.

34. (Previously Presented) A computer-readable medium according to Claim 33, wherein the computer executable process steps further comprise the steps of: after the inputting step, the printing device transmitting the input user identification information and printing device identification information identifying the printing device in which the inputting step is performed to the printing service provider;

the printing service provider determining a server corresponding to the printing device identification information; and

the printing service provider querying the determined server whether a user corresponding to the input user identification information is registered with the server, the server performing the determining step in response to the query, and the server responding to the query with the result of the determining step.

35. (Currently Amended) A method of printing over a network, comprising the steps of:

uploading, to a printing service provider, print data information and corresponding hotel guest information;

inputting, at a printing device, the hotel guest information;

transmitting the input hotel guest information to the printing service provider;

the printing service provider transmitting the uploaded print data information corresponding to the input hotel guest information to the printing device in response to the inputting step; and

printing the print data information on the printing device.

- 36. (Original) A method according to Claim 35, wherein the uploading step is performed by a hotel server.
- 37. (Original) A method according to Claim 35, wherein the hotel guest information comprises room key information.
- 38. (Original) A method according to Claim 36, wherein the print data information comprises billing information, and the hotel guest information comprises room key information.
- 39. (Original) A method according to Claim 36, wherein the uploading step is performed by the hotel server in response to a request by a hotel guest for printing of billing information.
- 40. (Original) A method according to Claim 39, wherein the request is made by the hotel guest utilizing a video check-out.

41. (Withdrawn) A method of printing over a network, comprising the steps of:

uploading, via the network and from a first location, to a printing service provider, print data information and location information of the first location;

a first determining step of determining first identification information of a user based on the uploaded first location information;

correlating, at the printing service provider, the determined first identification information with the uploaded print data information;

inputting second identification information of the user at a printing device connected to the network at a second location;

a second determining step of determining the first identification information of the user corresponding to the input second identification information;

transmitting the print data information having the correlated first identification information from the printing service provider to the printing device; and printing the print data information on the printing device.

42. (Withdrawn) A method according to Claim 41, wherein the first determining step comprises the steps of:

the printing service provider determining a first server corresponding to the uploaded first location information and querying the first server for the first identification information;

the first server determining the first identification information corresponding to the first location information; and

the first server transmitting the determined first identification information to the printing service provider.

43. (Withdrawn) A method according to Claim 41, wherein the second determining step comprises the steps of:

the printing service provider determining a second server corresponding to location information of the printing device;

the printing service provider querying the second server for the first identification information of the user corresponding to the second identification information; and

the second server transmitting the determined second identification information to the printing service provider.

44. (Withdrawn) A method according to Claim 41, wherein the first determining step comprises the steps of:

the printing service provider determining a first server corresponding to the uploaded first location information and querying the first server for the first identification information;

the first server determining the first identification information corresponding to the first location information; and

the first server transmitting the determined first identification information to the printing service provider, and

wherein the second determining step comprises the steps of:

the printing service provider determining a second server corresponding to location information of the printing device;

the printing service provider querying the second server for the first identification information of the user corresponding to the second identification information; and

the second server transmitting the determined second identification information to the printing service provider.

- 45. (Withdrawn) A method according to Claim 41, wherein the first identification information comprises a username of the user.
- 46. (Withdrawn) A method according to Claim 45, wherein the second identification information is hotel room key information.
- 47. (Withdrawn) A method according to Claim 41, wherein the first location information comprises a hotel room network address in a first hotel and the second location comprises a second hotel.